































**Bestellliste: PRESSSYSTEM – HEIZUNG (C-STAHL)**

| Art Nr. | Dim | Stk / m | Art Nr. | Dim | Stk / m | Art Nr. | Dim | Stk / m | Art Nr. | Dim | Stk / m |
|---|---------------|---------|---|---------------|---------|--|------------|---------|---|---------|---------|
| BOGEN 90°  | | | EINSTECK-BOGEN 45°  | | | T-STÜCK REDU  | | | MUFFE  | | |
| 1001 | 12 - R=1.5 D | | 1505 | 18 - R=1.5 D | | 3309 | 22-15-22 | | 2501 | 12 | |
| 1003 | 15 - R=1.5 D | | 1507 | 22 - R=1.5 D | | 3311 | 22-18-22 | | 2503 | 15 | |
| 1005 | 18 - R=1.5 D | | 1509 | 28 - R=1.5 D | | 3313 | 28-15-28 | | 2505 | 18 | |
| 1007 | 22 - R=1.5 D | | 1541 | 35 - R=1.2 D | | 3315 | 28-18-28 | | 2507 | 22 | |
| 1009 | 28 - R=1.5 D | | 1543 | 42 - R=1.2 D | | 3317 | 28-22-28 | | 2509 | 28 | |
| 1041 | 35 - R=1.2 D | | 1545 | 54 - R=1.2 D | | 3319 | 35-15-35 | | 2511 | 35 | |
| 1043 | 42 - R=1.2 D | | 1517 | 76 - R=1.2 D | | 3321 | 35-18-35 | | 2513 | 42 | |
| 1045 | 54 - R=1.2 D | | 1519 | 89 - R=1.2 D | | 3323 | 35-22-35 | | 2515 | 54 | |
| 1017 | 76 - R=1.2 D | | 1521 | 108 - R=1.2 D | | 3325 | 35-28-35 | | 2517 | 76 | |
| 1019 | 89 - R=1.2 D | | PASS-BOGEN 90°  | | | 3327 | 42-22-42 | | 2519 | 89 | |
| 1021 | 108 - R=1.2 D | | | | | 3329 | 42-28-42 | | 2521 | 108 | |
| EINSTECK-BOGEN 90°  | | | 3871 12 | | | 3331 | 42-35-42 | | LANG-MUFFE  | | |
| | | | 3873 15 | | | 3333 | 54-22-54 | | | | |
| | | | 3875 18 | | | 3335 | 54-28-54 | | | | |
| | | | 3877 22 | | | 3337 | 54-35-54 | | | | |
| | | | 3879 28 | | | 3339 | 54-42-54 | | 2601 | 12 | |
| | | | 3881 35 | | | 3361 | 76-22-76 | | 2603 | 15 | |
| | | | 3883 42 | | | 3363 | 76-28-76 | | 2605 | 18 | |
| | | | 3885 54 | | | 3365 | 76-35-76 | | 2607 | 22 | |
| | | | 3887 76 | | | 3367 | 76-42-76 | | 2609 | 28 | |
| | | | 3889 89 | | | 3341 | 76-54-76 | | 2611 | 35 | |
| | | | 3891 108 | | | 3371 | 89-22-89 | | 2613 | 42 | |
| | | | T-STÜCK EGAL  | | | 3373 | 89-28-89 | | 2615 | 54 | |
| | | | | | | 3375 | 89-35-89 | | 2617 | 76 | |
| | | | | | | 3377 | 89-42-89 | | 2619 | 89 | |
| | | | | | | 3379 | 89-54-89 | | 2621 | 108 | |
| | | | | | | 3343 | 89-76-89 | | REDU-STÜCK  | | |
| BOGEN 45°  | | | 3201 12 | | | 3381 | 108-22-108 | | | | |
| | | | 3203 15 | | | 3383 | 108-28-108 | | | | |
| | | | 3205 18 | | | 3385 | 108-35-108 | | 3501 | 15 x 12 | |
| | | | 3207 22 | | | 3387 | 108-42-108 | | 3503 | 18 x 12 | |
| | | | 3209 28 | | | 3389 | 108-54-108 | | 3507 | 18 x 15 | |
| | | | 3211 35 | | | 3391 | 108-76-108 | | 3505 | 22 x 12 | |
| | | | 3213 42 | | | 3345 | 108-89-108 | | 3509 | 22 x 15 | |
| | | | 3215 54 | | | | | | 3513 | 22 x 18 | |
| | | | 3217 76 | | | | | | 3511 | 28 x 15 | |
| | | | 3219 89 | | | | | | 3515 | 28 x 18 | |
| | | | 3221 108 | | | | | | 3517 | 28 x 22 | |
| | | | T-STÜCK REDU  | | | T, ABG. ERWEITERT  | | | 3516 | 35 x 15 | |
| | | | | | | | | | 3518 | 35 x 18 | |
| EINSTECK-BOGEN 45°  | | | 3301 15-12-15 | | | 3351 | 12-15-12 | | 3519 | 35 x 22 | |
| | | | 3303 18-12-18 | | | 3353 | 15-18-15 | | 3521 | 35 x 28 | |
| | | | 3307 18-15-18 | | | 3355 | 15-22-15 | | 3523 | 42 x 22 | |
| | | | 3305 22-12-22 | | | 3357 | 18-22-18 | | 3525 | 42 x 28 | |
| 1501 | 12 - R=1.5 D | | | | | 3359 | 22-28-22 | | 3527 | 42 x 35 | |
| 1503 | 15 - R=1.5 D | | | | | | | | | | |



Bestellliste: PRESSSYSTEM – HEIZUNG (C-STAHL)


| Art Nr. | Dim | Stk / m | Art Nr. | Dim | Stk / m | Art Nr. | Dim | Stk / m | Art Nr. | Dim | Stk / m |
|---|-------------|---------|--|------------|---------|--|------------|---------|---|------------|---------|
| REDU-STÜCK  | | | SPRUNG-BOGEN (V)  | | | Verschrau-bung mit PRESS / IG  | | | ÜBERGANG MIT AG  | | |
| 3529 | 54 x 22 | | 3765 | 12 | | 3453 | 15-1/2" | | 2817 | 42 - 11/2" | |
| 3531 | 54 x 28 | | 3767 | 15 | | 3451 | 15-3/4" | | 2819 | 54 - 2" | |
| 3533 | 54 x 35 | | 3769 | 18 | | 3455 | 18-1/2" | | 2831 | 76 - 21/2" | |
| 3535 | 54 x 42 | | 3771 | 22 | | 3454 | 18-3/4" | | 2833 | 89 - 3" | |
| 3537 | 76 x 42 | | 3773 | 28 | | 3457 | 22-3/4" | | 2835 | 108 - 4" | |
| 3539 | 76 x 54 | | Übergangs-BOGEN AG 90°  | | | 3458 | 22-1" | | ÜBERGANG MIT IG  | | |
| 3541 | 89 x 54 | | 2001 | 12 - 3/8" | | 3459 | 28-1" | | 2701 | 12 - 1/2" | |
| 3543 | 89 x 76 | | 2003 | 15 - 3/8" | | 3461 | 35-11/4" | | 2702 | 15 - 3/8" | |
| 3544 | 108 x 54 | | 2005 | 15 - 1/2" | | 3463 | 42-11/2" | | 2703 | 15 - 1/2" | |
| 3545 | 108 x 76 | | 2007 | 18 - 1/2" | | 3465 | 54-2" | | 2705 | 18 - 1/2" | |
| 3547 | 108 x 89 | | 2009 | 22 - 3/4" | | Verschrau-bung mit PRESS / AG  | | | 2707 | 18 - 3/4" | |
| ÜBER-FLANSCH PN10/16  | | | 2011 | 28 - 1" | | 3473 | 15-1/2" | | 2708 | 22 - 1/2" | |
| 3047 | 76 - PN16 | | 2013 | 35 - 11/4" | | 3471 | 15-3/4" | | 2709 | 22 - 3/4" | |
| 3049 | 89 - PN16 | | 2015 | 42 - 11/2" | | 3475 | 18-1/2" | | 2715 | 22 - 1" | |
| 3051 | 108 - PN16 | | 2017 | 54 - 2" | | 3474 | 18-3/4" | | 2710 | 28 - 1/2" | |
| ÜBER-FLANSCH PN 6  | | | Übergangs-BOGEN IG 90°  | | | 3476 | 22-1/2" | | 2711 | 28 - 3/4" | |
| 3017 | 76 - PN6 | | 2023 | 15 - 3/8" | | 3477 | 22-3/4" | | 2713 | 28 - 1" | |
| 3019 | 89 - PN6 | | 2025 | 15 - 1/2" | | 3478 | 22-1" | | ABSATZ-MUFFE mit IG  | | |
| 3021 | 108 - PN6 | | 2027 | 18 - 1/2" | | 3479 | 28-1" | | 2901 | 12 - 1/2" | |
| Kombirohr zum schweissen  | | | 2029 | 22 - 3/4" | | 3481 | 35-11/4" | | 2903 | 15 - 1/2" | |
| 3701 | 3/8" x 12 | | 2031 | 28 - 1/2" | | 3483 | 42-11/2" | | 2905 | 18 - 1/2" | |
| 3703 | 1/2" x 15 | | Übergangs-WINKEL AG 90°  | | | 3485 | 54-2" | | 2907 | 18 - 3/4" | |
| 3705 | 1/2" x 18 | | 2051 | 12 - 3/8" | | ÜBERGANG MIT AG  | | | 2909 | 22 - 1/2" | |
| 3707 | 3/4" x 22 | | 2053 | 15 - 3/8" | | 2801 | 12 - 3/8" | | 2911 | 22 - 3/4" | |
| 3709 | 1" x 28 | | 2055 | 15 - 1/2" | | 2802 | 12 - 1/2" | | ABSATZ-NIPPEL mit AG  | | |
| 3711 | 1 1/4" x 35 | | 2057 | 18 - 1/2" | | 2803 | 15 - 3/8" | | 2953 | 15 - 1/2" | |
| 3713 | 1 1/2" x 42 | | 2058 | 18 - 3/4" | | 2805 | 15 - 1/2" | | 2955 | 18 - 1/2" | |
| 3715 | 2" x 54 | | 2059 | 22 - 3/4" | | 2806 | 15 - 3/4" | | 2957 | 18 - 3/4" | |
| SPRUNG-BOGEN (S)  | | | Übergangs-WINKEL IG 90°  | | | 2807 | 18 - 1/2" | | 2959 | 22 - 1/2" | |
| 3751 | 12 | | 2103 | 15 - 1/2" | | 2809 | 18 - 3/4" | | 2961 | 22 - 3/4" | |
| 3753 | 15 | | 2105 | 18 - 1/2" | | 2810 | 22 - 1/2" | | | | |
| 3755 | 18 | | 2107 | 22 - 1/2" | | 2811 | 22 - 3/4" | | | | |
| 3757 | 22 | | 2109 | 22 - 3/4" | | 2812 | 22 - 1" | | | | |
| 3759 | 28 | | 2111 | 28 - 1/2" | | 2814 | 28 - 3/4" | | | | |
| | | | | | | 2813 | 28 - 1" | | | | |
| | | | | | | 2821 | 35 - 1" | | | | |
| | | | | | | 2815 | 35 - 11/4" | | | | |
| | | | | | | 2816 | 35 - 11/2" | | | | |
| | | | | | | 2823 | 42 - 11/4" | | | | |

**Bestellliste: PRESSSYSTEM – HEIZUNG (C-STAHL)**

| Art Nr. | Dim | Stk / m | Art Nr. | Dim | Stk / m | Art Nr. | Dim | Stk / m | Art Nr. | Dim | Stk / m |
|---------|-----|---------|---------|-----|---------|---------|-----|---------|---------|-----|---------|
|---------|-----|---------|---------|-----|---------|---------|-----|---------|---------|-----|---------|

T-Stück mit IG

| | | |
|------|--------------|--|
| 3401 | 12-3/8"-12 | |
| 3403 | 12-1/2"-12 | |
| 3405 | 15-1/2"-15 | |
| 3407 | 18-1/2"-18 | |
| 3409 | 22-1/2"-22 | |
| 3411 | 28-1/2"-28 | |
| 3441 | 28-3/4"-28 | |
| 3413 | 35-1/2"-35 | |
| 3415 | 35-3/4"-34 | |
| 3417 | 42-1/2"-42 | |
| 3419 | 42-3/4"-42 | |
| 3421 | 54-1/2"-54 | |
| 3423 | 54-3/4"-54 | |
| 3431 | 76-3/4"-76 | |
| 3433 | 89-3/4"-89 | |
| 3435 | 108-3/4"-108 | |

Anschluss-Verschraubung

| | | |
|------|-------------|--|
| 2751 | 3/4" - 15 | |
| 2753 | 3/4" - 18 | |
| 2755 | 1" - 22 | |
| 2757 | 1 1/4" - 28 | |
| 2759 | 1 1/2" - 35 | |
| 2760 | 1 3/4" - 42 | |
| 2762 | 2 3/8" - 54 | |

Verschluss - Stopfen

| | | |
|------|-----|--|
| 3851 | 12 | |
| 3853 | 15 | |
| 3855 | 18 | |
| 3857 | 22 | |
| 3859 | 28 | |
| 3861 | 35 | |
| 3863 | 42 | |
| 3865 | 54 | |
| 3867 | 76 | |
| 3869 | 89 | |
| 3870 | 108 | |

Verschluss - Kappe

| | | |
|------|-----|--|
| 3653 | 15 | |
| 3655 | 18 | |
| 3657 | 22 | |
| 3659 | 28 | |
| 3661 | 35 | |
| 3663 | 42 | |
| 3665 | 54 | |
| 3667 | 76 | |
| 3669 | 89 | |
| 3671 | 108 | |

O-RING SCHWARZ, Standard

| | | |
|------|-----|--|
| 8001 | 12 | |
| 8003 | 15 | |
| 8005 | 18 | |
| 8007 | 22 | |
| 8009 | 28 | |
| 8011 | 35 | |
| 8013 | 42 | |
| 8015 | 54 | |
| 8017 | 76 | |
| 8019 | 89 | |
| 8021 | 108 | |

O-RING GRÜN, Solar

| | | |
|------|-----|--|
| 8033 | 15 | |
| 8035 | 18 | |
| 8037 | 22 | |
| 8039 | 28 | |
| 8041 | 35 | |
| 8043 | 42 | |
| 8045 | 54 | |
| 8047 | 76 | |
| 8049 | 89 | |
| 8051 | 108 | |

C-Stahl ROHRE PP-ummantelt Stg. à 6 m

Meter

| | | |
|------|----------|--|
| 4601 | 12 x 1.2 | |
| 4603 | 15 x 1.2 | |
| 4605 | 18 x 1.2 | |
| 4607 | 22 x 1.5 | |
| 4609 | 28 x 1.5 | |
| 4611 | 35 x 1.5 | |
| 4613 | 42 x 1.5 | |
| 4615 | 54 x 1.5 | |

C-Stahl ROHRE GALVANISIERT Stg. à 6 m

Meter

| | | |
|------|-----------|--|
| 4501 | 12 x 1.2 | |
| 4503 | 15 x 1.2 | |
| 4505 | 18 x 1.2 | |
| 4507 | 22 x 1.5 | |
| 4509 | 28 x 1.5 | |
| 4511 | 35 x 1.5 | |
| 4513 | 42 x 1.5 | |
| 4515 | 54 x 1.5 | |
| 4517 | 76 x 2.0 | |
| 4519 | 89 x 2.0 | |
| 4521 | 108 x 2.0 | |

Gerne erwartet unser Verkaufsteam Ihre Bestellung unter der Fax-Nummer:

Fax Haustechnik: +41 (0)31 869 09 12

Firma: _____

Sachbearbeiter/in: _____

Strasse: _____

PLZ/Ort: _____

Datum: _____

Firmenstempel und Unterschrift: _____